



IxNetwork Report

Test: RFC2544 - Throughput/Latency

Test Date: 10/15/2020 17:33:27

www.ixiacom.com
www.ixiacom.com/support

Table of Contents

1.	Cover	1
2.	Info	3
3.	Port Map	4
4.	Aggregate Graphs	5
5.	IterationCharts	13
6.	Aggregated Results	19
7.	Aggregated Results Per Iteration	20
8.	Per Flow Results	25
9.	Iteration Data	27
10.	Theoretical Max Rates	36

RFC2544 - Throughput/Latency - Info**Test Information****Product Information**

Product Label :	S5800-8TF12S
Product Version :	5.3.11.r3
Serial Number :	CG171120002447N001
Comments :	

Test Settings

Date Executed :	10/15/2020
Time Executed :	17:33:27
User Name :	FS.COM
Number of Trials Executed :	1
Stream Duration (sec) :	20

Output Parameters


Number of Trials Passed :	N/A
Test Duration :	00:35:08

RFC2544 - Throughput/Latency - Port Map Information


Port Map :	Tx Port	Tx Speed (Mbps)	Rx Port	Rx Speed (Mbps)
	10.32.133.101:3:5	10000	10.32.133.101:3:6	10000

RFC2544 - Throughput/Latency - Aggregated Graph

Total Frames Transmitted and Received




RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Aggregated Graph


Aggregated Frame Loss



Trial - Framesize - Iteration


RFC2544 - Throughput/Latency - Aggregated Graph

Aggregated Frame Loss per Frame Size




RFC2544 - Throughput/Latency - Aggregated Graph


Aggregated Frame Loss per Line Rate



RFC2544 - Throughput/Latency - Per Flow Graph





RFC2544 - Throughput/Latency - Aggregated Graph



RFC2544 - Throughput/Latency - Per Flow Graph


Tx / Rx Frame Count




Trial



RFC2544 - Throughput/Latency - Iteration Graph



Aggregated Frame Loss for Trial 1 and Framesize 64




Aggregated Frame Loss for Trial 1 and Framesize 128




Aggregated Frame Loss for Trial 1 and Framesize 256**Aggregated Frame Loss for Trial 1 and Framesize 512**

Aggregated Frame Loss for Trial 1 and Framesize 1024**Aggregated Frame Loss for Trial 1 and Framesize 1280**


Aggregated Frame Loss for Trial 1 and Framesize 1518

RFC2544 - Throughput/Latency - Iteration Graph

Tx / Rx Frames per Frame Size



RFC2544 - Throughput/Latency - Iteration Graph



RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency			
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)	
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 9	100.00	100	14880952.4	7619.048			Tx : 297619048.000 Rx : 297619048.000 Loss : 0 Loss% : 0.00	937	1030	956.000	
Trial: 1 / FS: 128 / Iter: 9	100.00	100	8445945.9	8648.649			Tx : 168918919.000 Rx : 168918919.000 Loss : 0 Loss% : 0.00	995	1117	1040.000	
Trial: 1 / FS: 256 / Iter: 9	100.00	100	4528985.5	9275.362			Tx : 90579710.000 Rx : 90579710.000 Loss : 0 Loss% : 0.00	1042	1152	1079.000	
Trial: 1 / FS: 512 / Iter: 9	100.00	100	2349624.1	9624.060			Tx : 46992481.000 Rx : 46992481.000 Loss : 0 Loss% : 0.00	870	997	923.000	
Trial: 1 / FS: 1024 / Iter: 9	100.00	100	1197318.0	9808.429			Tx : 23946360.000 Rx : 23946360.000 Loss : 0 Loss% : 0.00	892	1027	951.000	
Trial: 1 / FS: 1280 / Iter: 9	100.00	100	961538.5	9846.154			Tx : 19230769.000 Rx : 19230769.000 Loss : 0 Loss% : 0.00	902	1037	965.000	
Trial: 1 / FS: 1518 / Iter: 9	100.00	100	812743.8	9869.961			Tx : 16254876.000 Rx : 16254876.000 Loss : 0 Loss% : 0.00	912	1062	983.000	

RFC2544 - Throughput/Latency - Aggregated Results

Trial / Framesize / Iteration	Agg L2 Throughput				Agg L1 Throughput		Throughput (frames)	Agg Latency			
	AggTx Rate %	Agg Rx Rate			Tx Rate Mbps	Rx Rate Mbps		Min (ns)	Max (ns)	Average (ns)	
		%	FPS	Mbps							
Trial: 1 / FS: 64 / Iter: 1	10	10	1488095.2	761.905			Tx : 29761905.000 Rx : 29761905.000 Loss : 0 Loss% : 0.00	890	965	921.000	
Trial: 1 / FS: 64 / Iter: 2	55	55	8184561.9	4190.496			Tx : 163690476.000 Rx : 163690476.000 Loss : 0 Loss% : 0.00	890	975	921.000	
Trial: 1 / FS: 64 / Iter: 3	78	78	11532778.3	5904.782			Tx : 230654762.000 Rx : 230654762.000 Loss : 0 Loss% : 0.00	890	985	921.000	
Trial: 1 / FS: 64 / Iter: 4	89	89	13206904.7	6761.935			Tx : 264136905.000 Rx : 264136905.000 Loss : 0 Loss% : 0.00	890	1020	923.000	
Trial: 1 / FS: 64 / Iter: 5	94	94	14044019.2	7190.538			Tx : 280877976.000 Rx : 280877976.000 Loss : 0 Loss% : 0.00	890	1002	925.000	
Trial: 1 / FS: 64 / Iter: 6	97	97	14462459.7	7404.779			Tx : 289248512.000 Rx : 289248512.000 Loss : 0 Loss% : 0.00	895	1022	931.000	
Trial: 1 / FS: 64 / Iter: 7	99	99	14671832.4	7511.978			Tx : 293433780.000 Rx : 293433780.000 Loss : 0 Loss% : 0.00	905	1017	938.000	
Trial: 1 / FS: 64 / Iter: 8	99	99	14776334.8	7565.483			Tx : 295526414.000 Rx : 295526414.000 Loss : 0 Loss% : 0.00	917	1030	941.000	
Trial: 1 / FS: 64 / Iter: 9	100	100	14880952.4	7619.048			Tx : 297619048.000 Rx : 297619048.000 Loss : 0 Loss% : 0.00	937	1030	956.000	
Trial: 1 / FS: 128 / Iter: 1	10	10	844594.6	864.865			Tx : 16891892.000 Rx : 16891892.000 Loss : 0 Loss% : 0.00	927	1055	987.000	
Trial: 1 / FS: 128 / Iter: 2	55	55	4645271.8	4756.758			Tx : 92905405.000 Rx : 92905405.000 Loss : 0 Loss% : 0.00	965	1055	1002.000	
Trial: 1 / FS: 128 / Iter: 3	78	78	6545640.5	6702.736			Tx : 130912162.000 Rx : 130912162.000 Loss : 0 Loss% : 0.00	965	1055	1003.000	
Trial: 1 / FS: 128 / Iter: 4	89	89	7495812.9	7675.712			Tx : 149915541.000 Rx : 149915541.000 Loss : 0 Loss% : 0.00	965	1090	1006.000	

Trial: 1 / FS: 128 / Iter: 5	94	94	7970906.2	8162.208	Tx : Rx : Loss : Loss% :	159417230.000 159417230.000 0 0.00	967	1082	1009.000
Trial: 1 / FS: 128 / Iter: 6	97	97	8208443.2	8405.446	Tx : Rx : Loss : Loss% :	164168074.000 164168074.000 0 0.00	977	1097	1013.000
Trial: 1 / FS: 128 / Iter: 7	99	99	8327207.2	8527.060	Tx : Rx : Loss : Loss% :	166543497.000 166543497.000 0 0.00	982	1100	1017.000
Trial: 1 / FS: 128 / Iter: 8	99	99	8386568.4	8587.846	Tx : Rx : Loss : Loss% :	167731208.000 167731208.000 0 0.00	990	1097	1021.000
Trial: 1 / FS: 128 / Iter: 9	100	100	8445945.9	8648.649	Tx : Rx : Loss : Loss% :	168918919.000 168918919.000 0 0.00	995	1117	1040.000
Trial: 1 / FS: 256 / Iter: 1	10	10	452898.6	927.536	Tx : Rx : Loss : Loss% :	9057971.000 9057971.000 0 0.00	987	1095	1032.000
Trial: 1 / FS: 256 / Iter: 2	55	55	2490946.0	5101.457	Tx : Rx : Loss : Loss% :	49818841.000 49818841.000 0 0.00	987	1092	1032.000
Trial: 1 / FS: 256 / Iter: 3	78	78	3509965.0	7188.408	Tx : Rx : Loss : Loss% :	70199275.000 70199275.000 0 0.00	987	1095	1032.000
Trial: 1 / FS: 256 / Iter: 4	89	89	4019481.9	8231.899	Tx : Rx : Loss : Loss% :	80389493.000 80389493.000 0 0.00	987	1095	1033.000
Trial: 1 / FS: 256 / Iter: 5	94	94	4274232.1	8753.627	Tx : Rx : Loss : Loss% :	85484601.000 85484601.000 0 0.00	990	1100	1040.000
Trial: 1 / FS: 256 / Iter: 6	97	97	4401620.3	9014.518	Tx : Rx : Loss : Loss% :	88032156.000 88032156.000 0 0.00	1010	1115	1047.000
Trial: 1 / FS: 256 / Iter: 7	99	99	4465298.0	9144.930	Tx : Rx : Loss : Loss% :	89305933.000 89305933.000 0 0.00	1017	1127	1052.000
Trial: 1 / FS: 256 / Iter: 8	99	99	4497145.4	9210.154	Tx : Rx : Loss : Loss% :	89942822.000 89942822.000 0 0.00	1020	1137	1057.000
Trial: 1 / FS: 256 / Iter: 9	100	100	4528985.5	9275.362	Tx : Rx : Loss : Loss% :	90579710.000 90579710.000 0 0.00	1042	1152	1079.000
Trial: 1 / FS: 512 / Iter: 1	10	10	234962.4	962.406	Tx : Rx : Loss : Loss% :	4699248.000 4699248.000 0 0.00	835	932	879.000

Trial: 1 / FS: 512 / Iter: 2	55	55	1292293.6	5293.235	Tx : Rx : Loss : Loss% :	25845865.000 25845865.000 0 0.00	835	940	879.000
Trial: 1 / FS: 512 / Iter: 3	78	78	1820959.8	7458.651	Tx : Rx : Loss : Loss% :	36419173.000 36419173.000 0 0.00	835	937	879.000
Trial: 1 / FS: 512 / Iter: 4	89	89	2085291.7	8541.355	Tx : Rx : Loss : Loss% :	41705827.000 41705827.000 0 0.00	835	937	879.000
Trial: 1 / FS: 512 / Iter: 5	94	94	2217460.1	9082.716	Tx : Rx : Loss : Loss% :	44349154.000 44349154.000 0 0.00	840	957	883.000
Trial: 1 / FS: 512 / Iter: 6	97	97	2283540.8	9353.383	Tx : Rx : Loss : Loss% :	45670818.000 45670818.000 0 0.00	845	960	888.000
Trial: 1 / FS: 512 / Iter: 7	99	99	2316582.7	9488.723	Tx : Rx : Loss : Loss% :	46331649.000 46331649.000 0 0.00	855	960	894.000
Trial: 1 / FS: 512 / Iter: 8	99	99	2333105.5	9556.400	Tx : Rx : Loss : Loss% :	46662065.000 46662065.000 0 0.00	865	982	900.000
Trial: 1 / FS: 512 / Iter: 9	100	100	2349624.1	9624.060	Tx : Rx : Loss : Loss% :	46992481.000 46992481.000 0 0.00	870	997	923.000
Trial: 1 / FS: 1024 / Iter: 1	10	10	119731.8	980.843	Tx : Rx : Loss : Loss% :	2394636.000 2394636.000 0 0.00	865	965	908.000
Trial: 1 / FS: 1024 / Iter: 2	55	55	658525.0	5394.637	Tx : Rx : Loss : Loss% :	13170498.000 13170498.000 0 0.00	865	967	908.000
Trial: 1 / FS: 1024 / Iter: 3	78	78	927921.5	7601.533	Tx : Rx : Loss : Loss% :	18558429.000 18558429.000 0 0.00	865	967	908.000
Trial: 1 / FS: 1024 / Iter: 4	89	89	1062619.9	8704.982	Tx : Rx : Loss : Loss% :	21252395.000 21252395.000 0 0.00	865	967	908.000
Trial: 1 / FS: 1024 / Iter: 5	94	94	1129969.4	9256.710	Tx : Rx : Loss : Loss% :	22599377.000 22599377.000 0 0.00	865	967	908.000
Trial: 1 / FS: 1024 / Iter: 6	97	97	1163643.8	9532.570	Tx : Rx : Loss : Loss% :	23272869.000 23272869.000 0 0.00	865	972	909.000
Trial: 1 / FS: 1024 / Iter: 7	99	99	1180480.8	9670.498	Tx : Rx : Loss : Loss% :	23609614.000 23609614.000 0 0.00	865	995	910.000

Trial: 1 / FS: 1024 / Iter: 8	99	99	1188899.4	9739.464	Tx : Rx : Loss : Loss% :	23777987.000 23777987.000 0 0.00	867	1005	913.000
Trial: 1 / FS: 1024 / Iter: 9	100	100	1197318.0	9808.429	Tx : Rx : Loss : Loss% :	23946360.000 23946360.000 0 0.00	892	1027	951.000
Trial: 1 / FS: 1280 / Iter: 1	10	10	96153.8	984.615	Tx : Rx : Loss : Loss% :	1923077.000 1923077.000 0 0.00	882	982	924.000
Trial: 1 / FS: 1280 / Iter: 2	55	55	528846.3	5415.386	Tx : Rx : Loss : Loss% :	10576923.000 10576923.000 0 0.00	880	982	922.000
Trial: 1 / FS: 1280 / Iter: 3	78	78	745192.5	7630.771	Tx : Rx : Loss : Loss% :	14903846.000 14903846.000 0 0.00	880	982	922.000
Trial: 1 / FS: 1280 / Iter: 4	89	89	853365.8	8738.465	Tx : Rx : Loss : Loss% :	17067308.000 17067308.000 0 0.00	880	985	922.000
Trial: 1 / FS: 1280 / Iter: 5	94	94	907452.0	9292.308	Tx : Rx : Loss : Loss% :	18149038.000 18149038.000 0 0.00	880	985	924.000
Trial: 1 / FS: 1280 / Iter: 6	97	97	934495.5	9569.234	Tx : Rx : Loss : Loss% :	18689904.000 18689904.000 0 0.00	880	992	923.000
Trial: 1 / FS: 1280 / Iter: 7	99	99	948016.8	9707.692	Tx : Rx : Loss : Loss% :	18960337.000 18960337.000 0 0.00	882	1012	928.000
Trial: 1 / FS: 1280 / Iter: 8	99	99	954777.8	9776.925	Tx : Rx : Loss : Loss% :	19095553.000 19095553.000 0 0.00	892	1002	935.000
Trial: 1 / FS: 1280 / Iter: 9	100	100	961538.5	9846.154	Tx : Rx : Loss : Loss% :	19230769.000 19230769.000 0 0.00	902	1037	965.000
Trial: 1 / FS: 1518 / Iter: 1	10	10	81274.4	986.996	Tx : Rx : Loss : Loss% :	1625488.000 1625488.000 0 0.00	895	1000	939.000
Trial: 1 / FS: 1518 / Iter: 2	55	55	447009.2	5428.479	Tx : Rx : Loss : Loss% :	8940182.000 8940182.000 0 0.00	895	1000	939.000
Trial: 1 / FS: 1518 / Iter: 3	78	78	629876.6	7649.222	Tx : Rx : Loss : Loss% :	12597529.000 12597529.000 0 0.00	895	1000	939.000
Trial: 1 / FS: 1518 / Iter: 4	89	89	721310.4	8759.594	Tx : Rx : Loss : Loss% :	14426203.000 14426203.000 0 0.00	895	1000	939.000

Trial: 1 / FS: 1518 / Iter: 5	94	94	767027.4	9314.781	Tx : Rx : Loss : Loss% :	15340540.000 15340540.000 0 0.00	895	1000	939.000
Trial: 1 / FS: 1518 / Iter: 6	97	97	789885.5	9592.370	Tx : Rx : Loss : Loss% :	15797708.000 15797708.000 0 0.00	900	1000	941.000
Trial: 1 / FS: 1518 / Iter: 7	99	99	801314.7	9731.165	Tx : Rx : Loss : Loss% :	16026292.000 16026292.000 0 0.00	907	1025	946.000
Trial: 1 / FS: 1518 / Iter: 8	99	99	807029.2	9800.563	Tx : Rx : Loss : Loss% :	16140584.000 16140584.000 0 0.00	912	1027	951.000
Trial: 1 / FS: 1518 / Iter: 9	100	100	812743.8	9869.961	Tx : Rx : Loss : Loss% :	16254876.000 16254876.000 0 0.00	912	1062	983.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)
				Tx Rate %	Rx Rate			Tx Rate Mbps	Rx Rate Mbps	
					%	FPS	Mbps			
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	14880952.4	7619.05			Tx : 297619048 Rx : 297619048 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	8445945.9	8648.65			Tx : 168918919 Rx : 168918919 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	4528985.5	9275.36			Tx : 90579710 Rx : 90579710 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	2349624.1	9624.06			Tx : 46992481 Rx : 46992481 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	1197318.0	9808.43			Tx : 23946360 Rx : 23946360 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	961538.5	9846.15			Tx : 19230769 Rx : 19230769 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100	812743.8	9869.96			Tx : 16254876 Rx : 16254876 Loss : 0 Loss% : 0.000

RFC2544 - Throughput/Latency - Per Flow Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	937	1030	956
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	995	1117	1040
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	1042	1152	1079
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	870	997	923
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	892	1027	951
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	902	1037	965
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	912	1062	983

RFC2544 - Throughput/Latency - Iteration Statistics - Part 1 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	L2 Throughput				L1 Throughput		Throughput (frames)		
				Tx Rate %	Rx Rate			Tx Rate Mbps	Rx Rate Mbps			
					%	FPS	Mbps					
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	1488095.2	761.91			Tx : 29761905 Rx : 29761905 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	8184561.9	4190.50			Tx : 163690476 Rx : 163690476 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	11532778.3	5904.78			Tx : 230654762 Rx : 230654762 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	13206904.7	6761.94			Tx : 264136905 Rx : 264136905 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	14044019.2	7190.54			Tx : 280877976 Rx : 280877976 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	14462459.7	7404.78			Tx : 289248512 Rx : 289248512 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	14671832.4	7511.98			Tx : 293433780 Rx : 293433780 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	14776334.8	7565.48			Tx : 295526414 Rx : 295526414 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	14880952.4	7619.05			Tx : 297619048 Rx : 297619048 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	844594.6	864.87			Tx : 16891892 Rx : 16891892 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	4645271.8	4756.76			Tx : 92905405 Rx : 92905405 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	6545640.5	6702.74			Tx : 130912162 Rx : 130912162 Loss : 0 Loss% : 0.000		
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	7495812.9	7675.71			Tx : 149915541 Rx : 149915541 Loss : 0 Loss% : 0.000		

Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	7970906.2	8162.21	Tx : 159417230 Rx : 159417230 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	8208443.2	8405.45	Tx : 164168074 Rx : 164168074 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	8327207.2	8527.06	Tx : 166543497 Rx : 166543497 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	8386568.4	8587.85	Tx : 167731208 Rx : 167731208 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	8445945.9	8648.65	Tx : 168918919 Rx : 168918919 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	452898.6	927.54	Tx : 9057971 Rx : 9057971 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	2490946.0	5101.46	Tx : 49818841 Rx : 49818841 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	3509965.0	7188.41	Tx : 70199275 Rx : 70199275 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	4019481.9	8231.90	Tx : 80389493 Rx : 80389493 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	4274232.1	8753.63	Tx : 85484601 Rx : 85484601 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	4401620.3	9014.52	Tx : 88032156 Rx : 88032156 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	4465298.0	9144.93	Tx : 89305933 Rx : 89305933 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	4497145.4	9210.15	Tx : 89942822 Rx : 89942822 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	4528985.5	9275.36	Tx : 90579710 Rx : 90579710 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	234962.4	962.41	Tx : 4699248 Rx : 4699248 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	1292293.6	5293.24	Tx : 25845865 Rx : 25845865 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	1820959.8	7458.65	Tx : 36419173 Rx : 36419173 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	2085291.7	8541.36	Tx : 41705827 Rx : 41705827 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	2217460.1	9082.72	Tx : 44349154 Rx : 44349154 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	2283540.8	9353.38	Tx : 45670818 Rx : 45670818 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	2316582.7	9488.72	Tx : 46331649 Rx : 46331649 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	2333105.5	9556.40	Tx : 46662065 Rx : 46662065 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	2349624.1	9624.06	Tx : 46992481 Rx : 46992481 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	119731.8	980.84	Tx : 2394636 Rx : 2394636 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	658525.0	5394.64	Tx : 13170498 Rx : 13170498 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	927921.5	7601.53	Tx : 18558429 Rx : 18558429 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	1062619.9	8704.98	Tx : 21252395 Rx : 21252395 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	1129969.4	9256.71	Tx : 22599377 Rx : 22599377 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	1163643.8	9532.57	Tx : 23272869 Rx : 23272869 Loss : 0 Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	1180480.8	9670.50	Tx : 23609614 Rx : 23609614 Loss : 0 Loss% : 0.000

Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	1188899.4	9739.46	Tx : 23777987
								Rx : 23777987
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	1197318.0	9808.43	Tx : 23946360
								Rx : 23946360
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	96153.8	984.62	Tx : 1923077
								Rx : 1923077
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	528846.3	5415.39	Tx : 10576923
								Rx : 10576923
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	745192.5	7630.77	Tx : 14903846
								Rx : 14903846
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	853365.8	8738.47	Tx : 17067308
								Rx : 17067308
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	907452.0	9292.31	Tx : 18149038
								Rx : 18149038
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	934495.5	9569.23	Tx : 18689904
								Rx : 18689904
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	948016.8	9707.69	Tx : 18960337
								Rx : 18960337
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	954777.8	9776.93	Tx : 19095553
								Rx : 19095553
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	961538.5	9846.15	Tx : 19230769
								Rx : 19230769
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	10.00	10.00	81274.4	987.00	Tx : 1625488
								Rx : 1625488
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	55.00	55.00	447009.2	5428.48	Tx : 8940182
								Rx : 8940182
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	77.50	77.50	629876.6	7649.22	Tx : 12597529
								Rx : 12597529
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	88.75	88.75	721310.4	8759.59	Tx : 14426203
								Rx : 14426203
								Loss : 0
								Loss% : 0.000

Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	94.38	94.38	767027.4	9314.78	Tx : 15340540
								Rx : 15340540
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	97.19	97.19	789885.5	9592.37	Tx : 15797708
								Rx : 15797708
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	98.59	98.59	801314.7	9731.17	Tx : 16026292
								Rx : 16026292
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	99.30	99.30	807029.2	9800.56	Tx : 16140584
								Rx : 16140584
								Loss : 0
								Loss% : 0.000
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	100.00	100.00	812743.8	9869.96	Tx : 16254876
								Rx : 16254876
								Loss : 0
								Loss% : 0.000

RFC2544 - Throughput/Latency - Iteration Statistics - Part 2 of 2

Trial / Framesize / Iteration	Tx Port	Rx Port	Flow Group	Min Latency (ns)	Max Latency (ns)	Avg Latency (ns)
Trial: 1 / FS: 64 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	890	965	921.00
Trial: 1 / FS: 64 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	890	975	921.00
Trial: 1 / FS: 64 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	890	985	921.00
Trial: 1 / FS: 64 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	890	1020	923.00
Trial: 1 / FS: 64 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	890	1002	925.00
Trial: 1 / FS: 64 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	895	1022	931.00
Trial: 1 / FS: 64 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	905	1017	938.00
Trial: 1 / FS: 64 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	917	1030	941.00
Trial: 1 / FS: 64 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	937	1030	956.00
Trial: 1 / FS: 128 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	927	1055	987.00
Trial: 1 / FS: 128 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	965	1055	1002.00
Trial: 1 / FS: 128 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	965	1055	1003.00
Trial: 1 / FS: 128 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	965	1090	1006.00
Trial: 1 / FS: 128 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	967	1082	1009.00
Trial: 1 / FS: 128 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	977	1097	1013.00
Trial: 1 / FS: 128 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	982	1100	1017.00
Trial: 1 / FS: 128 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	990	1097	1021.00
Trial: 1 / FS: 128 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	995	1117	1040.00
Trial: 1 / FS: 256 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	987	1095	1032.00

Trial: 1 / FS: 256 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	987	1092	1032.00
Trial: 1 / FS: 256 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	987	1095	1032.00
Trial: 1 / FS: 256 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	987	1095	1033.00
Trial: 1 / FS: 256 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	990	1100	1040.00
Trial: 1 / FS: 256 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	1010	1115	1047.00
Trial: 1 / FS: 256 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	1017	1127	1052.00
Trial: 1 / FS: 256 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	1020	1137	1057.00
Trial: 1 / FS: 256 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	1042	1152	1079.00
Trial: 1 / FS: 512 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	835	932	879.00
Trial: 1 / FS: 512 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	835	940	879.00
Trial: 1 / FS: 512 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	835	937	879.00
Trial: 1 / FS: 512 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	835	937	879.00
Trial: 1 / FS: 512 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	840	957	883.00
Trial: 1 / FS: 512 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	845	960	888.00
Trial: 1 / FS: 512 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	855	960	894.00
Trial: 1 / FS: 512 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	982	900.00
Trial: 1 / FS: 512 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	870	997	923.00
Trial: 1 / FS: 1024 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	965	908.00
Trial: 1 / FS: 1024 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	967	908.00
Trial: 1 / FS: 1024 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	967	908.00
Trial: 1 / FS: 1024 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	967	908.00

Trial: 1 / FS: 1024 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	967	908.00
Trial: 1 / FS: 1024 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	972	909.00
Trial: 1 / FS: 1024 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	865	995	910.00
Trial: 1 / FS: 1024 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	867	1005	913.00
Trial: 1 / FS: 1024 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	892	1027	951.00
Trial: 1 / FS: 1280 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	882	982	924.00
Trial: 1 / FS: 1280 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	880	982	922.00
Trial: 1 / FS: 1280 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	880	982	922.00
Trial: 1 / FS: 1280 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	880	985	922.00
Trial: 1 / FS: 1280 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	880	985	924.00
Trial: 1 / FS: 1280 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	880	992	923.00
Trial: 1 / FS: 1280 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	882	1012	928.00
Trial: 1 / FS: 1280 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	892	1002	935.00
Trial: 1 / FS: 1280 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	902	1037	965.00
Trial: 1 / FS: 1518 / Iter: 1	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	895	1000	939.00
Trial: 1 / FS: 1518 / Iter: 2	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	895	1000	939.00
Trial: 1 / FS: 1518 / Iter: 3	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	895	1000	939.00
Trial: 1 / FS: 1518 / Iter: 4	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	895	1000	939.00
Trial: 1 / FS: 1518 / Iter: 5	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	895	1000	939.00
Trial: 1 / FS: 1518 / Iter: 6	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	900	1000	941.00
Trial: 1 / FS: 1518 / Iter: 7	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	907	1025	946.00



Trial: 1 / FS: 1518 / Iter: 8	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	912	1027	951.00
Trial: 1 / FS: 1518 / Iter: 9	Ethernet - 001	Ethernet - 002	S5800-8TF12S-Endpoint Set-1 - Flow Group 0001	912	1062	983.00

Theoretical maximum Frame Rates (frames/second) for different frame sizes (bytes)

Speed	64	128	256	512	1024	1280	1518
10 Mbps	14881	8446	4529	2350	1198	962	813
100 Mbps	148810	84460	45290	23497	11973	9616	8128
1000 Mbps	1488096	844595	452899	234963	119732	96154	81275
10 Gbps	14880952	8445946	4528986	2349625	1197318	961539	812744
25 Gbps	37202380	21114864	11322463	5874060	2993295	2403846	2031859
40 Gbps	59523809	33783783	18115942	9398496	4789272	3846153	3250975
100 Gbps	148809523	84459459	45289855	23496240	11973180	9615384	8127438
155 Mbps (Oc - 3)	288000	145116	72840	36491	18263	14614	12324
622 Mbps (Oc - 12)	1152000	580465	291362	145965	73054	58454	49296
2488 Mbps (Oc - 48)	4608000	2321860	1165447	583860	292215	233817	197182
9952 Mbps (Oc - 192)	18432000	9287442	4661790	2335439	1168859	935270	788730